

Table 9.14a
Unadjusted Patient Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

| | 3 Months | | | 1 Year | | | 5 Years | | | 10 Years | | |
|---------------------------------|------------------|-------|-----------|------------------|-------|-----------|------------------|-------|-----------|------------------|--------|-----------|
| | (Tx 2005 - 2006) | | | (Tx 2005 - 2006) | | | (Tx 2001 - 2006) | | | (Tx 1996 - 2006) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| Total | | | | | | | | | | | | |
| All | 10,533 | 93.7% | 0.2% | 10,533 | 87.1% | 0.3% | 28,428 | 73.3% | 0.3% | 47,082 | 59.5% | 0.4% |
| Age at Tx | | | | | | | | | | | | |
| <1 Year | 214 | 91.6% | 1.9% | 214 | 86.9% | 2.3% | 626 | 86.8% | 1.4% | 1,150 | 79.7% | 1.3% |
| 1-5 Years | 263 | 94.7% | 1.4% | 263 | 91.6% | 1.7% | 726 | 87.1% | 1.4% | 1,294 | 82.3% | 1.2% |
| 6-11 Years | 124 | 95.2% | 1.9% | 124 | 91.9% | 2.4% | 355 | 85.6% | 2.2% | 675 | 83.5% | 1.8% |
| 12-17 Years | 162 | 95.1% | 1.7% | 162 | 92.0% | 2.1% | 521 | 82.8% | 2.1% | 889 | 69.1% | 2.6% |
| 18-34 Years | 534 | 93.6% | 1.1% | 534 | 89.9% | 1.3% | 1,472 | 77.3% | 1.3% | 2,630 | 66.7% | 1.3% |
| 35-49 Years | 2,413 | 95.6% | 0.4% | 2,413 | 89.8% | 0.6% | 7,608 | 75.8% | 0.6% | 14,498 | 61.2% | 0.6% |
| 50-64 Years | 5,765 | 93.3% | 0.3% | 5,765 | 86.5% | 0.5% | 14,550 | 71.2% | 0.5% | 21,978 | 56.0% | 0.6% |
| 65+ Years | 1,058 | 91.5% | 0.9% | 1,058 | 81.0% | 1.2% | 2,570 | 63.5% | 1.2% | 3,968 | 42.5% | 1.4% |
| Recipient Ethnicity/Race | | | | | | | | | | | | |
| White | 7,543 | 93.8% | 0.3% | 7,543 | 87.1% | 0.4% | 20,591 | 73.3% | 0.4% | 34,731 | 59.2% | 0.4% |
| African American | 1,011 | 93.5% | 0.8% | 1,011 | 85.6% | 1.1% | 2,651 | 68.7% | 1.2% | 4,245 | 54.2% | 1.2% |
| Hispanic/Latino | 1,405 | 93.7% | 0.6% | 1,405 | 88.3% | 0.9% | 3,655 | 75.5% | 0.9% | 5,734 | 62.5% | 1.0% |
| Asian | 483 | 93.2% | 1.1% | 483 | 88.6% | 1.4% | 1,314 | 76.5% | 1.4% | 2,018 | 68.5% | 1.5% |
| Other/Multi-race | 91 | 92.3% | 2.8% | 91 | 85.7% | 3.7% | 217 | 72.8% | 3.7% | 353 | 61.6% | 3.8% |
| Unknown | 0 | - | - | 0 | - | - | 0 | - | - | 1 | 100.0% | 0.0% |
| Recipient Gender | | | | | | | | | | | | |
| Female | 3,508 | 92.4% | 0.4% | 3,508 | 86.0% | 0.6% | 9,723 | 74.2% | 0.5% | 17,105 | 61.1% | 0.5% |
| Male | 7,025 | 94.3% | 0.3% | 7,025 | 87.7% | 0.4% | 18,705 | 72.8% | 0.4% | 29,977 | 58.5% | 0.5% |
| Recipient Blood Type | | | | | | | | | | | | |
| O | 4,713 | 93.2% | 0.4% | 4,713 | 86.6% | 0.5% | 12,275 | 73.1% | 0.5% | 20,117 | 59.5% | 0.5% |
| A | 3,939 | 94.3% | 0.4% | 3,939 | 87.5% | 0.5% | 10,898 | 73.2% | 0.5% | 18,413 | 58.7% | 0.6% |
| B | 1,323 | 93.4% | 0.7% | 1,323 | 86.8% | 0.9% | 3,785 | 74.1% | 0.9% | 6,143 | 60.9% | 1.0% |
| AB | 558 | 94.6% | 1.0% | 558 | 90.0% | 1.3% | 1,470 | 74.5% | 1.4% | 2,409 | 62.4% | 1.5% |

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.14a (Continued)
Unadjusted Patient Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

| | 3 Months | | | 1 Year | | | 5 Years | | | 10 Years | | |
|-------------------------------------|------------------|-------|-----------|------------------|-------|-----------|------------------|--------|-----------|------------------|-------|-----------|
| | (Tx 2005 - 2006) | | | (Tx 2005 - 2006) | | | (Tx 2001 - 2006) | | | (Tx 1996 - 2006) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| Total | | | | | | | | | | | | |
| All | 10,533 | 93.7% | 0.2% | 10,533 | 87.1% | 0.3% | 28,428 | 73.3% | 0.3% | 47,082 | 59.5% | 0.4% |
| Recipient Residency | | | | | | | | | | | | |
| U.S. Resident | 10,440 | 93.7% | 0.2% | 10,440 | 87.1% | 0.3% | 28,122 | 73.2% | 0.3% | 46,298 | 59.1% | 0.4% |
| Nonresident Alien | 93 | 90.3% | 3.1% | 93 | 89.2% | 3.2% | 305 | 81.3% | 2.5% | 693 | 78.3% | 1.9% |
| Unknown | 0 | - | - | 0 | - | - | 1 | 100.0% | 0.0% | 91 | 56.5% | 5.3% |
| Hospitalized at Tx | | | | | | | | | | | | |
| Not Hospitalized | 7,678 | 95.4% | 0.2% | 7,678 | 89.4% | 0.4% | 20,438 | 74.6% | 0.4% | 31,888 | 60.8% | 0.5% |
| Hospitalized | 1,568 | 92.2% | 0.7% | 1,568 | 84.1% | 0.9% | 4,090 | 70.9% | 0.9% | 7,522 | 56.6% | 0.8% |
| In Intensive Care | 1,287 | 85.2% | 1.0% | 1,287 | 77.3% | 1.2% | 3,899 | 68.8% | 0.8% | 7,638 | 56.2% | 0.8% |
| Unknown | 0 | - | - | 0 | - | - | 1 | + | + | 34 | 66.5% | 9.4% |
| Life Support at Tx | | | | | | | | | | | | |
| No | 9,935 | 94.4% | 0.2% | 9,935 | 88.0% | 0.3% | 26,592 | 73.9% | 0.3% | 43,426 | 60.0% | 0.4% |
| Yes | 598 | 82.1% | 1.6% | 598 | 72.9% | 1.8% | 1,835 | 64.3% | 1.2% | 3,568 | 52.5% | 1.1% |
| Unknown | 0 | - | - | 0 | - | - | 1 | + | + | 88 | 73.1% | 4.8% |
| Primary Diagnosis | | | | | | | | | | | | |
| Non-Cholestatic Cirrhosis | 6,511 | 94.0% | 0.3% | 6,511 | 87.0% | 0.4% | 17,952 | 71.7% | 0.4% | 30,258 | 55.7% | 0.5% |
| Cholestatic Liver Disease/Cirrhosis | 823 | 95.7% | 0.7% | 823 | 91.1% | 1.0% | 2,496 | 81.4% | 0.9% | 4,856 | 69.2% | 0.9% |
| Acute Hepatic Necrosis | 684 | 90.1% | 1.1% | 684 | 85.1% | 1.4% | 1,944 | 71.3% | 1.2% | 3,436 | 61.1% | 1.2% |
| Biliary Atresia | 285 | 94.4% | 1.4% | 285 | 91.6% | 1.6% | 884 | 89.5% | 1.1% | 1,663 | 84.3% | 1.1% |
| Metabolic Diseases | 348 | 92.0% | 1.5% | 348 | 88.5% | 1.7% | 947 | 81.7% | 1.5% | 1,639 | 73.5% | 1.6% |
| Malignant Neoplasms | 1,332 | 94.4% | 0.6% | 1,332 | 86.5% | 0.9% | 2,595 | 66.3% | 1.4% | 3,018 | 49.5% | 2.2% |
| Other | 550 | 90.9% | 1.2% | 550 | 84.4% | 1.5% | 1,610 | 76.1% | 1.3% | 2,212 | 64.8% | 1.7% |

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.14a (Continued)
Unadjusted Patient Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

| | 3 Months | | | 1 Year | | | 5 Years | | | 10 Years | | |
|----------------------------------|------------------|--------|-----------|------------------|--------|-----------|------------------|-------|-----------|------------------|-------|-----------|
| | (Tx 2005 - 2006) | | | (Tx 2005 - 2006) | | | (Tx 2001 - 2006) | | | (Tx 1996 - 2006) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| Total | | | | | | | | | | | | |
| All | 10,533 | 93.7% | 0.2% | 10,533 | 87.1% | 0.3% | 28,428 | 73.3% | 0.3% | 47,082 | 59.5% | 0.4% |
| Waiting List Status at Tx | | | | | | | | | | | | |
| 1 | 245 | 87.3% | 2.1% | 245 | 83.3% | 2.4% | 1,548 | 78.0% | 1.1% | 3,609 | 62.6% | 1.0% |
| 2 | 0 | - | - | 0 | - | - | 0 | - | - | 1,621 | 54.2% | 1.2% |
| 2A | 0 | - | - | 0 | - | - | 1,124 | 67.9% | 1.4% | 3,569 | 53.9% | 1.5% |
| 2B | 0 | - | - | 0 | - | - | 2,687 | 73.9% | 0.8% | 10,196 | 60.3% | 0.8% |
| 3 | 0 | - | - | 0 | - | - | 442 | 74.7% | 2.1% | 5,388 | 62.4% | 0.7% |
| 4 | 0 | - | - | 0 | - | - | 0 | - | - | 30 | 73.3% | 8.1% |
| MELD 6-10 | 398 | 92.7% | 1.3% | 398 | 86.2% | 1.7% | 1,027 | 65.7% | 2.3% | 1,027 | + | + |
| MELD 11-14 | 629 | 94.9% | 0.9% | 629 | 89.5% | 1.2% | 1,879 | 76.1% | 1.3% | 1,879 | + | + |
| MELD 15-20 | 2,280 | 96.1% | 0.4% | 2,280 | 91.2% | 0.6% | 5,018 | 77.0% | 0.9% | 5,018 | + | + |
| MELD 21-30 | 2,418 | 93.3% | 0.5% | 2,418 | 86.4% | 0.7% | 4,956 | 71.5% | 1.0% | 4,956 | + | + |
| MELD >30 | 1,339 | 89.3% | 0.8% | 1,339 | 79.3% | 1.1% | 2,822 | 68.0% | 1.2% | 2,822 | + | + |
| PELD <11 | 90 | 95.6% | 2.2% | 90 | 94.4% | 2.4% | 323 | 93.1% | 1.7% | 323 | + | + |
| PELD 11-14 | 29 | 93.1% | 4.7% | 29 | 89.7% | 5.7% | 92 | 89.5% | 3.3% | 92 | + | + |
| PELD 15-20 | 56 | 96.4% | 2.5% | 56 | 94.6% | 3.0% | 113 | 89.5% | 3.5% | 113 | + | + |
| PELD 21-30 | 58 | 93.1% | 3.3% | 58 | 87.9% | 4.3% | 132 | 83.3% | 4.5% | 132 | + | + |
| PELD >30 | 27 | 81.5% | 7.5% | 27 | 77.8% | 8.0% | 50 | 78.0% | 5.9% | 50 | + | + |
| HCC T1 | 11 | 100.0% | 0.0% | 11 | 100.0% | 0.0% | 334 | 77.6% | 2.5% | 334 | + | + |
| HCC T2 | 1,675 | 95.3% | 0.5% | 1,675 | 87.2% | 0.8% | 3,688 | 68.0% | 1.1% | 3,688 | + | + |
| Other Exceptions | 856 | 95.2% | 0.7% | 856 | 90.4% | 1.0% | 1,762 | 78.5% | 1.4% | 1,762 | + | + |
| Other Status | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% | 10 | 80.0% | 12.6% | 52 | 53.6% | 7.2% |
| Yearly Center Volume | | | | | | | | | | | | |
| 0-9 | 174 | 94.8% | 1.7% | 174 | 91.4% | 2.1% | 606 | 70.8% | 2.3% | 1,826 | 62.2% | 1.6% |
| 10-19 | 402 | 92.0% | 1.4% | 402 | 87.8% | 1.6% | 1,364 | 75.1% | 1.5% | 2,444 | 63.6% | 1.6% |
| 20-34 | 812 | 93.6% | 0.9% | 812 | 88.4% | 1.1% | 3,505 | 73.4% | 1.0% | 6,565 | 57.5% | 1.0% |
| 35-56 | 1,870 | 93.2% | 0.6% | 1,870 | 86.5% | 0.8% | 4,523 | 71.1% | 0.8% | 9,571 | 59.3% | 0.8% |
| 57+ | 7,275 | 93.9% | 0.3% | 7,275 | 87.0% | 0.4% | 18,430 | 73.8% | 0.4% | 26,676 | 59.5% | 0.5% |

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.14a (Continued)
Unadjusted Patient Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

| | 3 Months | | | 1 Year | | | 5 Years | | | 10 Years | | |
|---------------------------|------------------|-------|-----------|------------------|-------|-----------|------------------|-------|-----------|------------------|-------|-----------|
| | (Tx 2005 - 2006) | | | (Tx 2005 - 2006) | | | (Tx 2001 - 2006) | | | (Tx 1996 - 2006) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| Total | | | | | | | | | | | | |
| All | 10,533 | 93.7% | 0.2% | 10,533 | 87.1% | 0.3% | 28,428 | 73.3% | 0.3% | 47,082 | 59.5% | 0.4% |
| Cold Ischemic Time | | | | | | | | | | | | |
| 0-5 Hours | 2,800 | 95.7% | 0.4% | 2,800 | 90.7% | 0.5% | 6,885 | 76.2% | 0.7% | 9,968 | 62.2% | 0.9% |
| 6-10 Hours | 5,422 | 93.2% | 0.3% | 5,422 | 86.4% | 0.5% | 14,411 | 73.7% | 0.5% | 23,972 | 60.3% | 0.5% |
| 11-15 Hours | 960 | 92.5% | 0.9% | 960 | 83.1% | 1.2% | 2,958 | 68.9% | 1.0% | 5,889 | 55.6% | 0.9% |
| 16-20 Hours | 73 | 97.3% | 1.9% | 73 | 90.4% | 3.4% | 268 | 67.9% | 3.2% | 630 | 54.7% | 2.5% |
| 21+ Hours | 65 | 96.9% | 2.1% | 65 | 89.2% | 3.8% | 159 | 79.7% | 3.7% | 328 | 56.0% | 4.2% |
| Unknown | 1,213 | 91.6% | 0.8% | 1,213 | 85.2% | 1.0% | 3,747 | 70.2% | 0.9% | 6,295 | 57.5% | 1.1% |
| Donor Age | | | | | | | | | | | | |
| <1 Year | 78 | 92.3% | 3.0% | 78 | 88.5% | 3.6% | 228 | 84.1% | 2.7% | 442 | 79.2% | 2.2% |
| 1-5 Years | 227 | 94.3% | 1.5% | 227 | 91.2% | 1.9% | 661 | 89.4% | 1.3% | 1,277 | 83.9% | 1.1% |
| 6-11 Years | 190 | 96.3% | 1.4% | 190 | 93.2% | 1.8% | 644 | 83.4% | 1.7% | 1,315 | 71.8% | 1.7% |
| 12-17 Years | 748 | 95.7% | 0.7% | 748 | 91.4% | 1.0% | 2,301 | 79.8% | 1.0% | 4,466 | 65.5% | 1.0% |
| 18-34 Years | 2,951 | 94.5% | 0.4% | 2,951 | 89.3% | 0.6% | 8,086 | 76.5% | 0.6% | 13,650 | 62.8% | 0.6% |
| 35-49 Years | 2,691 | 92.7% | 0.5% | 2,691 | 86.2% | 0.7% | 7,249 | 73.2% | 0.7% | 11,869 | 56.8% | 0.7% |
| 50-64 Years | 2,581 | 93.6% | 0.5% | 2,581 | 84.9% | 0.7% | 6,569 | 68.7% | 0.7% | 10,126 | 53.2% | 0.8% |
| 65+ Years | 1,067 | 92.2% | 0.8% | 1,067 | 83.9% | 1.1% | 2,690 | 61.3% | 1.2% | 3,935 | 45.5% | 1.4% |
| Unknown | 0 | - | - | 0 | - | - | 0 | - | - | 2 | + | + |

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.14a (Continued)
Unadjusted Patient Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

| | 3 Months | | | 1 Year | | | 5 Years | | | 10 Years | | |
|--------------------------------|------------------|--------|-----------|------------------|-------|-----------|------------------|-------|-----------|------------------|-------|-----------|
| | (Tx 2005 - 2006) | | | (Tx 2005 - 2006) | | | (Tx 2001 - 2006) | | | (Tx 1996 - 2006) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| Total | | | | | | | | | | | | |
| All | 10,533 | 93.7% | 0.2% | 10,533 | 87.1% | 0.3% | 28,428 | 73.3% | 0.3% | 47,082 | 59.5% | 0.4% |
| Transplant Center State | | | | | | | | | | | | |
| ALABAMA | 162 | 96.3% | 1.5% | 162 | 90.7% | 2.3% | 443 | 78.9% | 2.5% | 884 | 64.3% | 2.4% |
| ARKANSAS | 39 | 97.4% | 2.5% | 39 | 97.4% | 2.5% | 39 | + | + | 39 | + | + |
| ARIZONA | 159 | 95.6% | 1.6% | 159 | 90.6% | 2.3% | 369 | 73.9% | 3.1% | 521 | 66.2% | 3.6% |
| CALIFORNIA | 1,245 | 93.9% | 0.7% | 1,245 | 87.9% | 0.9% | 3,395 | 73.7% | 0.9% | 5,908 | 62.3% | 0.9% |
| COLORADO | 149 | 94.6% | 1.8% | 149 | 92.6% | 2.1% | 405 | 83.3% | 2.3% | 722 | 70.3% | 2.7% |
| CONNECTICUT | 48 | 95.8% | 2.9% | 48 | 89.6% | 4.4% | 167 | 74.3% | 3.7% | 287 | 59.7% | 4.3% |
| DELAWARE | 11 | 100.0% | 0.0% | 11 | 90.9% | 8.7% | 38 | 85.5% | 7.5% | 40 | + | + |
| FLORIDA | 945 | 96.3% | 0.6% | 945 | 88.6% | 1.0% | 2,775 | 75.6% | 1.0% | 4,357 | 60.9% | 1.3% |
| GEORGIA | 230 | 95.2% | 1.4% | 230 | 82.6% | 2.5% | 537 | 66.4% | 2.8% | 874 | 55.4% | 2.7% |
| HAWAII | 22 | 86.4% | 7.3% | 22 | 77.3% | 8.9% | 69 | 67.9% | 6.9% | 108 | 66.4% | 5.7% |
| IOWA | 46 | 100.0% | 0.0% | 46 | 93.5% | 3.6% | 165 | 79.4% | 3.8% | 353 | 58.2% | 4.0% |
| ILLINOIS | 423 | 90.5% | 1.4% | 423 | 83.2% | 1.8% | 1,148 | 70.1% | 1.8% | 1,995 | 55.6% | 1.7% |
| INDIANA | 274 | 94.2% | 1.4% | 274 | 90.1% | 1.8% | 759 | 73.0% | 2.1% | 1,003 | 55.4% | 3.1% |
| KANSAS | 96 | 94.8% | 2.3% | 96 | 89.6% | 3.1% | 201 | 73.1% | 3.9% | 356 | 61.0% | 4.1% |
| KENTUCKY | 161 | 94.4% | 1.8% | 161 | 89.4% | 2.4% | 422 | 72.7% | 2.7% | 649 | 54.1% | 3.6% |
| LOUISIANA | 234 | 92.3% | 1.7% | 234 | 88.0% | 2.1% | 771 | 69.7% | 2.0% | 1,109 | 52.9% | 2.8% |
| MASSACHUSETTS | 246 | 91.9% | 1.7% | 246 | 82.5% | 2.4% | 687 | 66.4% | 2.2% | 1,217 | 57.6% | 2.0% |
| MARYLAND | 165 | 93.9% | 1.9% | 165 | 83.6% | 2.9% | 377 | 62.6% | 3.1% | 641 | 49.0% | 3.0% |
| MICHIGAN | 310 | 94.5% | 1.3% | 310 | 85.8% | 2.0% | 839 | 76.6% | 1.7% | 1,278 | 56.1% | 2.5% |
| MINNESOTA | 235 | 94.5% | 1.5% | 235 | 89.8% | 2.0% | 676 | 77.8% | 1.9% | 1,240 | 67.1% | 1.9% |
| MISSOURI | 270 | 93.7% | 1.5% | 270 | 90.0% | 1.8% | 617 | 77.9% | 2.2% | 1,045 | 63.8% | 2.2% |
| NORTH CAROLINA | 212 | 89.6% | 2.1% | 212 | 84.9% | 2.5% | 615 | 68.7% | 2.4% | 1,105 | 60.0% | 2.3% |
| NEBRASKA | 169 | 95.9% | 1.5% | 169 | 88.8% | 2.4% | 439 | 75.3% | 2.6% | 810 | 65.1% | 2.2% |
| NEW JERSEY | 145 | 95.9% | 1.7% | 145 | 90.3% | 2.5% | 450 | 72.5% | 2.5% | 725 | 63.7% | 2.5% |
| NEW MEXICO | 0 | - | - | 0 | - | - | 0 | - | - | 47 | 60.1% | 7.4% |
| NEW YORK | 998 | 91.0% | 0.9% | 998 | 80.8% | 1.2% | 2,323 | 67.2% | 1.2% | 3,617 | 53.0% | 1.3% |
| OHIO | 397 | 91.9% | 1.4% | 397 | 87.2% | 1.7% | 1,011 | 71.6% | 1.9% | 1,750 | 57.9% | 1.8% |
| OKLAHOMA | 111 | 95.5% | 2.0% | 111 | 90.1% | 2.8% | 314 | 82.0% | 2.5% | 533 | 73.5% | 2.7% |
| OREGON | 95 | 97.9% | 1.5% | 95 | 95.8% | 2.1% | 257 | 80.0% | 3.2% | 512 | 58.2% | 3.2% |
| PENNSYLVANIA | 795 | 94.0% | 0.8% | 795 | 86.8% | 1.2% | 2,328 | 70.5% | 1.2% | 4,026 | 57.8% | 1.1% |
| SOUTH CAROLINA | 101 | 93.1% | 2.5% | 101 | 90.1% | 3.0% | 283 | 74.6% | 3.0% | 504 | 53.9% | 3.4% |
| TENNESSEE | 277 | 94.2% | 1.4% | 277 | 88.8% | 1.9% | 637 | 70.8% | 2.4% | 1,035 | 55.8% | 2.6% |
| TEXAS | 909 | 93.3% | 0.8% | 909 | 87.5% | 1.1% | 2,517 | 76.1% | 1.1% | 3,935 | 58.0% | 1.4% |
| UTAH | 95 | 91.6% | 2.8% | 95 | 86.3% | 3.5% | 277 | 81.1% | 2.7% | 450 | 66.0% | 3.9% |
| VIRGINIA | 184 | 91.8% | 2.0% | 184 | 85.9% | 2.6% | 498 | 69.2% | 2.7% | 961 | 57.5% | 2.2% |
| WASHINGTON | 241 | 92.9% | 1.6% | 241 | 88.4% | 2.1% | 625 | 80.9% | 1.9% | 953 | 62.8% | 2.5% |
| WISCONSIN | 234 | 94.4% | 1.5% | 234 | 89.3% | 2.0% | 694 | 80.3% | 1.9% | 1,157 | 65.9% | 2.2% |

Source: OPTN/SRTR Data as of May 1, 2008.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9